

## Twitter Thread by P. D. Mangan Health & Fitness Maximalist ■■



**P. D. Mangan Health & Fitness Maximalist** ■■

@Mangan150



**Serum albumin, a protein measured by a common lab test, has a large inverse relation with mortality.**

**Why?**

**Thread**■

In very old people, albumin was a more important risk marker than traditional risk factors such as HDL, LDL, and HbA1c.

<https://t.co/1woLLynl1O>

**Fig. 5: Hazard ratios for death from any causes according to traditional cardiovascular risk factors and albumin.**

Biomarker	Crude			Adjusted		
	HR	95%CI	p	HR	95%CI	p
Entire cohort						
HDL-cholesterol	0.66	(0.61–0.71)	<0.001	0.96	(0.88–1.04)	0.328
LDL-cholesterol	0.71	(0.67–0.76)	<0.001	0.98	(0.90–1.06)	0.591
Hemoglobin A1c	0.73	(0.67–0.79)	<0.001	0.98	(0.90–1.08)	0.739
Creatinine	1.09	(1.04–1.15)	<0.001	1.14	(1.05–1.24)	0.002
eGFR-cr <sup>a</sup>	0.88	(0.81–0.95)	0.001	1.02	(0.94–1.11)	0.661
CRP <sup>a</sup>	1.55	(1.45–1.65)	<0.001	1.17	(1.08–1.26)	<0.001
Albumin <sup>a</sup>	0.41	(0.39–0.44)	<0.001	0.65	(0.58–0.73)	<0.001

"serum albumin concentration is inversely related to mortality risk in a graded manner over its entire range"

in both healthy people and those with acute or chronic illness.

<https://t.co/OMQHNwX8Pd>

But, low albumin is NOT a consequence of normal aging.

So, what's going on?

<https://t.co/p3RR7SyjUQ>

While there are suggestions that low albumin is a sign of undetected illness...

albumin is also associated with loss of muscle mass.

<https://t.co/1rW4BluMAs>

"the increased risk of disability with low serum albumin concentrations observed in the elderly may actually reflect an association with sarcopenia."

Sarcopenia = pathological muscle loss

<https://t.co/FdNA1s4s8V>



Old age is not a cause of low albumin, but is associated with muscle loss

and indicates malnutrition.

# Serum albumin and health in older people: Review and meta analysis

Sonia Cabrerizo <sup>a</sup>, Daniel Cuadras <sup>b</sup>, Fernando Gomez-Busto <sup>c</sup>, Iñaki Artaza-Artabe <sup>d</sup>, Fernando Marín-Ciancas <sup>e</sup>, Vincenzo Malafarina <sup>e</sup>  

Show more 

 Share  Cite

<https://doi.org/10.1016/j.maturitas.2015.02.009>

[Get rights and content](#)

## Highlights

- Old age is not a cause of **hypoalbuminemia**.
- There is evidence that hypoalbuminemia is associated to loss of muscle mass.
- Albuminemia is an indicator of nutritional state but it is very unspecific.
- Many factors influence haematic levels of **albumin**.
- Hypoalbuminemia is a negative **prognostic factor** of mortality.

Low dietary protein leads to lower albumin synthesis.

<https://t.co/ZiljBA69us>

Albumin Synthesis Is Diminished in Men Consuming a Predominantly Vegetarian Diet

Since albumin is itself a protein, this points to lower protein intake

<https://t.co/qZ9xXIOwML>

Conclusion: low albumin is a strong risk factor for mortality.

It's associated with low muscle mass and low protein intake.

Increased dietary protein and resistance training may be the best ways to counteract low albumin.